



Il badalestg japanès („Japanknöterich“) sederasa a Mustér muort malprecauziun tier la dismessa da curdem d'iert

Perliung digl ual da Clavaniev sederasa il badalestg japanès. La caglia importada ei scumandada tenor art. 15 dalla ordinaziun da liberaziun. Grazia a quella deponia selvadia regia buca mo in grond prighel per la fauna indigena, ei seresutan era cuosts per la vischnaunca.


Il badalestg japanès ei ina sort fetg invasiva, quei vul di ch'el sederasa enorm. La derasaziun succeda sco suonda: Vegr in toc ragisch ni ina caglia dismessa ni lavada dall'aua giu, crescha leu nua che tala vegr a ruaus la proxima caglia (rizoms). La part veseivla sur tiara ei mo il spitg dil cuolm, sut tiara sesanfla la gronda part dil badalestg. La part sur tiara vegr mo in onn veglia. Ina fructificaziun ei aunc buca vegrnida constattada en svizra. La caglia sa vegrir tochen 3 m aulta. Las sorts indigenas svaneschan leu nua ch'il badalestg sederasa e scarpas teissas vegrnan destabilisadas.

Las caglias perliung igl ual da Clavaniev ein vegrnidas scarpadas ora e barschadas. L'auter onn vegr il badalestg segir puspei a crescher, pertgei mintga toc caglia sa buca vegrir rimnaus. Il sulet mied che gida ei tissi, quel sa denton buca vegrir impundius dapertut. Quei ha semussau en auters loghens nua ch'il problem „badalestg japanès“ ei gia sederasaus enorm.

Tenor l'ordinaziun da liberaziun, art. 53 sa il caschunader vegrir castegiaus. Deponias selvadias vegrnan buca toleradas. A Raveras sa vegrir deponiu gratuitamein curdem dad iert!

Cun amicabels salids
Uffeci forestal Mustér
Simon Cathomen

Praxishilfe Neophyten
Problempflanzen erkennen und richtig handeln

 Ambrosia	 Riesenbärenklau	 Amerik. Goldruten	 Japan. Knöterich	 Drüsiges Springkraut	 Sommerflieder
 Schmalblättriges Greiskraut	 Essigbaum	 Götterbaum	 Robinie	 Kirschchlorbeer	 S. 26